Cumulative Index 1988

Volume 7

January FOOT AND ANKLE INJURIES, pages 1–210
April RACQUET SPORTS: INJURY TREATMENT AND PREVENTION, pages 211–458
July INJURIES IN THE YOUNG ATHLETE, pages 459–696
October TREATMENT OF THE ANTERIOR CRUCIATE LIGAMENT-DEFICIENT KNEE, pages 697–848

Note: Page numbers of article and issue titles are in **boldface** type.

Abdomen, anatomy of, 349–351
  injuries of, and groin injuries, in tennis, **349–357**
    differential diagnosis of, 353, 355
    in sports, 634–637
    treatment of, 354–356
  muscles of, anatomy of, 267–269
    strengthening of, 284
Acetabulum, Salter-Harris physeal fractures of, 517
Achilles tendinitis, 104–105, 365–367
  factors contributing to, 156
  in dancers, 155–157
  treatment of, 156–157
Achilles tendon, allografts, for anterior cruciate replacement, 780
  injuries of, 104–107
    in dancers, 155–158
    induced by running, 104
  paratendinitis of, 104
  problems of, 584–585
  rupture(s) of, 105–107, 359–362
    in dancers, 157–158
    magnetic resonance imaging in, 24, 26
    surgical treatment of, 107
    symptoms of, 157
    treatment of, 157–158
Acromioclavicular joint injuries, 475–476
Aerobic dance injuries, 35
Aerobic metabolism, in training for competitive tennis, 419–421
Agility training, in chronic anterior cruciate ligament-deficient knee, 824–826
Allograft ligaments, anterior cruciate ligament, 808
  biomechanical evaluation of, 779–780
  clinical studies of, in humans, 780–782
  healing of, 779
  immunology of, 779
  in anterior cruciate ligament reconstruction, **773–784**
Amenorrhea, overuse injuries in, 595
Anaerobic metabolism, in training for competitive tennis, 418–419
Anatomic malalignment, overuse injuries in, 593
Ankle, anatomy and biomechanics of, 2–3
  and receptors of, causes of damage to, 196
  anterior impingement syndrome of, 159–160
  biomechanical interdependency and, 193
  distal tibiofibular ligamentous sprain of, 558–559
  foot and, biomechanics of, during gait, **1–13**
  fracture(s) of, classification of, 127, 128
    complex, in athletes, management of, **127–141**
    diagnosis of, 129–130
    epidemiology of, 128–129
    open, 138–139
    postoperative care in, 139
    rehabilitation in, 140
    surgery in, indications for, 130
      methods of, 131–138
  injury(ies) of, in dancers, **143–173**

Ankle, sprains of *(Continued)*
in sports, epidemiology of, **29–36**
in young athlete, **547–562**
rehabilitation following, **193–204**
study of, 31–33
lateral ligament sprains of, 557–558
magnetic resonance imaging of, **15–28**
motion of, during walking, 3, 4
during running, 3, 5
major, 2–3
range of, 3
overuse injuries of, 561, 605–607
posterior impingement syndrome of, 160–163
causes of, 160, 163
treatment of, 162–163
soft tissue injuries of, 557–561
sprain(s) of, acute, 364
assessment of, 621–622
chronic inversion, 586–587
treatment of, 622
sprained. See *Sprained ankle(s)*.
tendons of, injuries of, factors contributing to, 103
in athletes, **103–118**
Anorexia nervosa, in dancers, 172
Anterior draw sign, in acute injury of anterior cruciate ligament, 740
Anterior drawer test, in anterior cruciate ligament injuries of knee, 701
in ligament stability testing, 730
Anterolateral rotatory instability. See *Knee, anterolateral rotatory instability of*.
Anti-inflammatory agents, in Achilles tendinitis, 156
Aorta, rupture of, in sports, 634
Apely "scratch" test, 645, 646
Apophyses, 371
Arrhythmia(s), in squash players, 248–249
Arthritis, degenerative, of great toe, 368–369
Arthrodesis, in hallux rigidus, 44, 45–46
Arthrography, in chronic anterior cruciate ligament injuries, 735
Arthroplasty, remodeling, in hallux rigidus, 42–45
replacement, in hallux rigidus, 44, 47
resection, in hallux rigidus, 44, 45
Arthroscopy, evaluation form, in acute anterior cruciate ligament injury, 815
in anterior cruciate ligament reconstructions, 703–707
in anterior cruciate ligament tears, 732
in intra-articular anterior cruciate ligament reconstruction, 752
prearthrotomy, in acute injury of anterior cruciate ligament, 741–742
to assist reconstruction of anterior cruciate ligament using patella tendon bone autograft, **785–800**
Athlete(s), metatarsophalangeal joint synovitis in, **75–88**
sesamoid foot problems in **51–60**
young. See *Young athlete(s)*.
Athletic heart syndrome, 247–248
Athletics, muscular strength in, 647–648
Avulsion fracture(s), of base of fifth metatarsal, 153
Axial skeleton, strengthening of, 218–219

Back, increasing flexibility of, 283
lower, pain in. See *Low back pain*.
Backhand, mechanics of, 281
Ballet, athletic components of, 143
on full pointe, 144–145
selection of dancers for, 143–144
starting training in, age for, 144
Ballet dancer(s), flexor hallucis longus of, 114, 115
Bench press, 666, 667
Biceps tendon, subluxation and tendinitis of, 485–486
Bicycle, advanced, 672, 675
Bladder, trauma to, 638
Blood vessels, lesions of, in racquet sports, 344–345
major, injuries to, in sports, 637
Blunt trauma, to abdomen, 634–635
to spleen, 635, 636
Body conditioning, general, 293
Bone autograft, patella tendon, arthroscopically assisted reconstruction of anterior cruciate ligament using, **785–800**
Brace(s), elbow, counterforce, 294
following primary repair of anterior cruciate ligament, 827
functional, for unstable knees, 831–832
principles of, for anterior cruciate ligament-deficient knee, **827–833**
prophylactic, in knee injuries, 827–829
rehabilitative, in knee injuries, 829–830
Brain, injury(ies) to, etiology of, 460–461
types of, 464–469
Bursitis, and tendinitis, in racquet sports, 449–451
treatment of, 451
as overuse injury, 600

Calcaneal apophysitis, 574–575
Calcaneodynia. See *Plantar fasciitis*.
Calf stretch, wall, 657–658, 659
Calisthenics, 649
Calluses, 584
Capsulotomy, in synovitis of metatarsophalangeal joint, 87
Cardiac tamponade, 633–634
Cardiovascular injuries, in racquet sports, 237
Carpi ulnaris, exterior, tenosynovitis and subluxation of, 333–334, 335

Carpometacarpal joint injuries, 499–500
Cavus foot, 187–190, 572, 573
Cerebrospinal fluid, as shock absorber, 461
Cheilectomy, in hallux rigidus, 42–45, 46
Chest, injuries of, in sports, 630
Child(ren), hand and wrist injuries in, **495–512**
  injury in, as multifactorial illness, 685–688
  traumatized, management of, 625
Chondromalacia, 344
  of sesamoids, 59
Chondromalacia patella, 539–541
Circulation, problems of, in racquet sports injuries, 344–345
Clavicle, distal, osteolysis of, 476
Clothing, for prevention of heat illness, 432
Coalitions, tarsal, 576–577
Collagen stress fractures, of rotator cuff, 378–382
Computed tomography, and magnetic resonance imaging, compared, 18
  in ankle fractures, 129–130, 132
  in rupture of posterior tibial tendon, 111, 113
Concussion(s), in sports, 464–465, 627
  return to competition following, 465–467
  severity of, 465
Conditioning, for competitive tennis, **211–228**
  in sports participation, 650
Contusion(s), cardiac, 634
  classification of, 614–615
  in young athlete, 613–617, 627
  of hip and pelvis, 521–522
  pulmonary, 632–633
  quadriceps, 615, 616–617
Cramps, heat, 430
Cryotherapy, in chronic anterior cruciate ligament-deficient knee, 824
  in hamstring strains, 620
Cuboid, subluxation of, 165, 182–183
Cuff weights, Theraband, supraspinatus strengthening with, 216, 218
Cultural deconditioning, overuse injuries and, 595
Cuneiform joint, metatarsal, first, problems of, 578–579
Curls, dumbbell, seated, 666, 669
  partial, 671–672, 674
  reverse, 670–671, 673
  wrist, 671, 673
Cybex UBE, 226, 227
Cycling, stationary, in chronic anterior cruciate ligament-deficient knee, 823

Dacron, as stent for autogenous grafts, 776
  as synthetic ligaments, 775
Dancers, acute injuries in, 145–158
  chronic injuries in, 158–172
  foot and ankle injuries in, **143–173**
  fractures and dislocations in, 151–155
  injuries of Achilles tendon in, 155–158
  metatarsophalangeal joint problems in, 169–170
  sprained ankles in, 145–151
  stress fractures in, 165–169
  tendinitis in, 163–165
Dancing, ballet. See *Ballet*.
Dancing, modern, 145
Danis-Weber ankle fractures, 127, 128, 129, 130
  treatment of, 131–138
Deep vein thrombosis, in intra-articular anterior cruciate reconstruction, 842
DeQuervain's tenosynovitis, 331–332
Dexon, as stent for autogenous grafts, 776
Disease(s), overuse injuries in, 595
Dislocation(s), in dancers, 151–155
  of elbow, 488
  of hip, 518–519
  of metatarsophalangeal joint, 155
  proximal interphalangeal, of toes, 153–155
Drug therapy, in thoracoabdominal musculoskeletal injuries, 273–274, 275
Dumbbell rowing, bent-over, 665–666

Eccentric exercises, in chronic anterior cruciate ligament-deficient knee, 822
Ecchymosis, in anterior cruciate ligament injuries of knee, 699
Elbow, and shoulder injuries, in tennis player, prevention and treatment of, **289–308**
  dislocations of, 488
  flexion contracture of, 378
  fractures of, 486–488
  injuries to, examination in, 486–491
    in young athlete, **473–494**
  ligament injuries of, 489
  Little League, 490, 602–603
  myositis ossificans of, 488
  tennis. See *Tennis elbow*.
Elbow immobilizer, 303
Ely test, in Osgood-Schlatter disease, 605
Emergencies, in sports, **625–640**
Emergency equipment, for sports team, 459–460
Endurance, in tennis injuries, 406, 414
Environmental conditions, evaluation of, in prevention of heat illness, 432–433
Epidemiologic research, aims of, 233
  definitions in, 235–237
  information gathering in, 234–235
  methods in, 233–234
  trends in, 237–238
Epidemiology, of tennis, squash, and racquetball injuries, **233–243**
Epiphyseal fractures, in children, 509

Epiphyseal injuries, in children, 517
Epiphysis, 371
Equipment, tennis, **229–232**
Ergometer, upper extremity, 226, 227
Exercise(s), active, following anterior cruciate ligament reconstruction, 804–805
condition for, heat illness and, 432
following sprained ankle, 147–148
for low back pain, 282–284, 285, 286, 287
for rehabilitation of injured ankle, 194–203
in chronic anterior cruciate ligament-deficient knee, 818–824
in control of pronation, 187, 189
in synovitis of metatarsophalangeal joint, 77, 78
in thoracoabdominal musculoskeletal injuries, 273–274, 275
postoperative, in ankle fractures, 140
quadricep, following anterior cruciate ligament reconstruction, 806
weight training, 665–672
Exercise training, cellular and molecular effects of, 421–422
for competitive tennis. See *Tennis, competitive, exercise training for.*
Exhaustion, heat, 430–431
Extension exercises, for low back pain, 286, 287
Extensor digitorum longus, injuries of, 116
Extensor hallucis longus, injuries of, 116
Extensor hallucis tendinitis, 585–586
Extremity(ies), lower, biomechanics of, 563–574
excessive crossing over of, runner demonstrating, 95
Eye(s), injuries of, in racquet sports, 237–238
misconceptions concerning, 254–256
prevention of, 241
survey of, 254
protection of, in racquet sports, **253–266**
Eyeguards, 255–256, 257, 258, 260–261

Fascia lata grafts, for anterior cruciate replacement, 740–741
Femoral neck, nonphyseal fractures of, 518
stress fractures of, 519–520
Femur, capital epiphysis of, slipped, 517
fractures of, subtrochanteric, 518
proximal, Salter-Harris physeal fractures of, 517
stress fracture of, 599
Fibrocartilage complex, triangular, tears of, 341–344
Fibula, fractures of, in young athlete, 547–548
Finger(s), metacarpal fractures, in children, 509
Fitness, evaluations and findings of, in junior tennis players, **403–416**
Fixation devices, problems associated with, in intra-articular anterior cruciate reconstruction, 842–843
Flail chest, 633
Flatfoot, 567, 573
hypermobile, 121
Flexibility, 644
assessment of, 644–647
development of, 651–652
in tennis injuries, 406, 414, 415–416
Flexibility training, for competitive tennis, 212
Flexion, in anterior cruciate ligament injuries of knee, 698
Flexor digitorum longus, tenosynovitis of, 115
Flexor digitorum profundus avulsion, 506–507
Flexor hallucis longus, injuries of, in athletes, 112–114
rupture of, 115
tendinitis of, 164–165
tenosynovitis of, 114–115
Flexor tendon, rupture of, 336
tenosynovitis of, 336
Fluid collections, magnetic resonance imaging identifying, 24
Foot (Feet), and ankle, biomechanics of, during gait, **1–13**
and foot-related injuries, in young athlete, **563–589**
and leg, injuries of, in racquet sports, **359–370**
biomechanics of, 175–177, 563–574
external rotation of, excessive, runner demonstrating, 94
forces under, 9, 10
in gait, 563–568
injury(ies) of, in dancers, **143–173**
in sports, epidemiology of, **29–36**
overuse, in dancers and athletes, rehabilitation following, **175–191**
study of, 33–34
magnetic resonance imaging of, **15–28**
motion of, during running, 5
during walking, 4
of runners, classification of, 92
overuse injuries of, 605–607
problems, sesamoid, in athlete, **51–60**
pronation of, 175–176
sesamoids of. See *Sesamoids, of foot.*
supination of, 176
Foot and ankle injuries, **1–210**
Footsie Rollers, in cavus foot, 189–190
Footwear. See *Shoes.*
Force, applied, stresses generated by, 460

Force loads, control of, 293–295
Forefoot, anatomy and biomechanics of, 8–9
overuse injuries of, 183–185
Forefoot runner, force plate curve demonstrating, 93
Forehand stroke, isofunctional strengthening for, 219
mechanics of, 281
Fracture(s). See also specific sites and types of fractures.
about shoulder, 478–479
avulsion, in young athlete, 515–517
in dancers, 151–155
of ankle. See *Ankle, fracture(s) of.*
of elbow, 486–488
of growth plate, in young athlete, 547
of hand, in children, 507–510
of hip, in young athlete, **513–526**
of knee, in young athlete, 527–532
of pelvis, in young athlete, **513–526**
of wrist, in children, 495–497
sesamoid, acute, 55–56
stress. See *Stress fracture(s).*
talar, magnetic resonance imaging in, 20, 21
Freiberg's disease, in dancers, 170–171
Friction burns, of rotator cuff, 378
Frostbite, in children, 510
Gait, biomechanics of, effect of shoe and orthotic devices on, 11–12.
biomechanics of foot and ankle during, **1–13**
cycle, during running, 2
during walking, 2
periods of, 1–2
summary of, 10–11
foot in, 563–568
Gastrocnemius muscle, medial head of, rupture of, 363
strain of, as "tennis leg," 435–437
Genitalia, external, male, trauma to, 638
Genitourinary injuries, during athletics, 637–638
Glenohumeral apprehension test, 314, 317
Glenohumeral instability testing, 318
Gore-Tex, for synthetic ligament, 774–778
in prosthetic anterior cruciate ligament replacement, 808–809
Graft(s), failure of, in intra-articular anterior cruciate reconstruction, 774
Groin, injuries of, and abdominal injuries, in tennis, **349–357**
diagnosis of, 352–353
differential diagnosis of, 353, 355
treatment of, 354–356
strains of, in tennis, 352
Growth, overuse injuries and, 595–597
Growth plate, fractures of, in young athlete, 547
inflammation of, 582–583
Guide pin sites, extra-articular asseous, preparation of, 789–793
Hallux rigidus, **37–49**
classification of, 38
clinical findings in, 40–41
conservative treatment of, 41
etiology of, 38–40
in dancers, 158–159
individualization of treatment in, 47
surgical treatment of, 42–47
treatment of, 159
"Hallux Saltans," 164
Hallux valgus, history taking in, 61–62
physical examination in, 61–62
postoperative regimen in, 71–72
radiography in, 62, 63
Silver Triad in, 62, 65
surgery in, 62–70
complications of, 72
results of, 72, 73
using modified **Z**-osteotomy, **61–74**
Hammertoes, 583–584
Hamstring(s), flexibility, 645–646, 648
strain(s), factors predisposing to, 617–620
treatment of, 620–621
stretch, seated piked, 657
seated straddle, 657, 658
stretching of, 283, 285
Hamstring curls, in chronic anterior cruciate ligament-deficient knee, 820
Hand, and wrist, soft-tissue injuries of, in racquet sports, **329–348**
and wrist injuries, in children, **495–512**
fractures of, in children, 507–510
Head, injuries of, in young athlete, **459–472**, 626–629
sports hazardous to, 459, 460
Heart, contusions of, 634
Heart syndrome, athletic, 247–248
Heat cramps, 430
Heat disorders, in tennis players, 429–434
physiologic considerations in, 429–430
prevention of, 432–433
Heat exhaustion, 430–431
Heat syncope, 430
Heatstroke, 431–432
Heel raises, 669–670, 672
Heel strike, force plate curve demonstrating, 93
Hematoma, intracerebral, 468
intracranial, 467–468, 627–629
subarachnoid, 468
subdural, 468, 628–629
Hemiphalangectomy, basal, in synovitis of metatarsophalangeal joint, 87
Hemorrhage, intracranial, 467–469
Hemothorax, 631, 632

Hindfoot, anatomy and biomechanics of, 4–6, 7
overuse injuries of, 177–181
Hip, dislocations of, 518–519
fractures of, in young athlete, **513–526**
injuries of, anatomic considerations in, 514–515
assessment of, 513–514
classification of, 514
differential diagnosis of, 524
overuse injuries about, 603
sprains of, 524
History taking, in hallux valgus, 61–62
in synovitis of metatarsophalangeal joint, 76–77
Humeral epiphysis, slipped capital, 373–376
Hysteresis, in low back pain, 278

Ice therapy, in chronic anterior cruciate ligament-deficient knee, 824
Iliac apophysitis, 522–523
Iliotibial band flexibility, 646–647
Iliotibial band tenodesis, extra-articular, of Steadman, in anterolateral rotatory instability, 761–764
modified, in anterolateral rotatory instability, 760
of Andrews, in anterolateral rotatory instability, 757–760
Immobilization, in sprained ankle, 147
Immunology, and allograft ligaments, 779
Impingement syndrome(s), 483
in dancers, 158–163
Infection(s), following intra-articular anterior cruciate reconstruction, 842
Inflammation, in tennis-related injuries, 403–404
fitness evaluation findings and, 412–416
musculoskeletal examination and, 406, 409–410, 411, 412
questionnaire in evaluation of, 404–405, 407–409
testing format for, 410–412
Ingrown toenails, 583
Injury(ies). See also specific locations of injuries.
in children, as multifactorial illness, 685–688
sports, to foot and ankle, epidemiology of, **29–36**
studies of, discussion of, 34–36
findings in, 30–34
material for, 30
in the young athlete, **459–696**
Insoles, in synovitis of metatarsophalangeal joint, 77, 78
Intercondylar notch, preparation of, for patella tendon bone autograft, 786–787
Interphalangeal joint injuries, in children, 504–505
Intersection syndrome, 332–333
Intracranial hemorrhage, 467–469
Isofunctional training, 213, 216, 218, 219
Isokinetic exercise, 213
Isokinetic strength testing, in acute anterior cruciate ligament injury, 818
Isometric contractions, 213
Isotonic exercise, 213

Jogging, following anterior cruciate ligament reconstruction, 806–807
Joint(s). See also specific joints.
disorders of, in overuse, 600
Jones' fracture, of proximal shaft of fifth metatarsal, 152–153, 154
Jumper's knee, 437–440
classification of, 438
treatment of, 438–439

Kidney, trauma to, during athletics, 637–638
Kienboch's disease, 497, 498
"King Kong arm," 373
Knee, anterior cruciate ligament injuries of, acute, 814–818
arthroscopic-assisted anterior ligament reconstructions in, 703–707
clinical signs of, 698–701
natural history of, **697–711**
operative management of, 702–703
reconstructions in, rehabilitation protocol for, 708
symptoms of, 697–698
treatment of, results of, 707–709
anterior cruciate ligament-deficient, bracing for, principles of, **785–833**
chronic, 818–826
evaluation form in, 819
documentation and treatment of intra-articular injuries in, 785–786
nonreconstructed, rehabilitation of, **813–827**
rehabilitation of, general concepts of, 801–802
treatment of, **697–750**
types of patients with, 813
anterolateral rotatory instability of, combined intra-articular and extra-articular reconstruction in, 765–766
definition of, 754
extra-articular iliotibial band tenodesis of Steadman in, 761–764
extra-articular procedures for, **751–772**
indications for, 752–753
lateral, 757–769

patient selection for, 753–754
principles of, 756–757
functional, pivot shift phenomenon, 754–755
iliotibial band tenodesis of Andrews in, 757–760
lateral extra-articular tenodesis of Arnold in, 764–765
lateral tenodesis procedure of James in, 766–767, 768
modified iliotibial band tenodesis in, 760
design and function of, 715
extensor mechanism of, problems of, 539–542
fractures of, in young athlete, 527–532
injuries of, in tennis, **435–452**
internal derangements of, 534–539
jumper's. See *Jumper's knee.*
laxity, testing of, in acute anterior cruciate ligament injury, 818
ligaments of. See also *Ligament(s).*
injuries of, in young athlete, 531–533
meniscal injuries of, 538–539
of tennis player, strengthening of, 220, 224
osteochondritis dissecans of, 534–538, 605
overuse injuries at, 603
posterolateral rotary instability of, 735–736
Kneeling quadriceps stretch, 654, 655

Laboratory tests, in synovitis of metatarsophalangeal joint, 77, 82
Labrum tears, 382
Lacerations, in sports, 627
Lachman test, in acute injury of anterior cruciate ligament, 740
in anterior cruciate ligament injuries of knee, 699
in anterolateral rotatory instability, 755
in chronic anterior cruciate ligament injuries, 734
in ligament stability testing, 729–730, 731
Lactic acid breaking point, 419
Leg, and foot, injuries of, in racquet sports, **359–370**
lower, of tennis player, strengthening of, 220
tennis, 220, 435–437
treatment of, 436
Ligament(s), allograft. See *Allograft ligaments.*
See also *Knee, anterior cruciate ligament injuries of.*
acute injury of, history taking in, 739–740
physical examination in, 740–741
prearthrotomy arthroscopy in, 741–742
roentgenographic studies in, 741
acute tears of, patterns of meniscal injury with, 742–743
allograft, 778–782, 808
anatomy and biomechanics of, **715–725**
biomechanics of, 719–724
chronic injuries of, 733–736
presentation of, 734
in functional control of knee, 723
intra-articular reconstruction of, active exercise and weight bearing following, 804–805
autogenous, rehabilitation following, 802
complications of, 835–848
early motion following, 802–803
intraoperative technique for, 837–842
jogging following, 806–807
preoperative evaluation for, 836
pre-sports activities following, 807–808
quadricep exercise following, 806
isometric points of, selection of, 787–789, 793–794
laxity of, testing for, 734
microstructure of, 716–717
primary repair of, **739–750**
augmentation of, 745–746
postoperative care in, 744–745
results of, 746–747
success of, factors influencing, 745
technique of, 743–744
range of motion of, 717–718
reconstruction of, arthroscopic-assisted, 752
arthroscopy in use of patella tendon bone autograft in, **785–800**
for anterolateral rotatory instability, 752–753
Gore-Tex in, 808–809
trends in rehabilitation following, **801–811**
synthetic and allograft reconstruction of, **773–784**
tears of, acute and chronic, diagnosis of, **727–738**
arthroscopy in, 732
mechanisms of, 727–728
radiographic evaluation of, 731–732
surgery in, 732
torn, treatment of, 751
vascularity of, 718–719, 720
augmentation device, as permanent stents, 775–776
injuries of, magnetic resonance imaging in, 24, 25
of knee, injuries of, in young athlete, 531–533
of wrist, injuries to, 336–337
prostheses, 776–778

Ligament(s) *(Continued)*
synthetic, bovine xenograft for, 774–775
carbon fiber in, 773–775
dacron for, 775
permanent stents and, 775–776
scaffolds for, 773–775
Little League elbow, 490, 602–603
Little League shoulder, 478–479, 596, 601
Liver, injuries of, in young athletes, 635–636
Low back pain, etiologies of, 277
facet joints in, 279
in tennis player(s), 218–219, **277–287**
incidence of, 277
knee-to-chest exercises for, 222
Low back pain, overuse, 601
rehabilitation for, 282–284, 285, 286, 287
treatment of, 281–282
Lunatotriquetral dissociation, 340–341
Lung(s), contusions of, 632–633
Lunge, 653, 655
Lying full body stretch, 652
Lying quadriceps and iliotibial hand stretch, 654–655, 656

Magnetic resonance imaging, advantages of, 18
and computed tomography, compared, 18
fundamentals of, 15–18
interpretation of, 19–24
limitations of, 24–27
of ankle and foot, **15–28**
technique of, 19
types of magnets, 15–16
Malleolus, posterior, stabilization of, in ankle fractures, 134
Marathon running, sudden death in, 245–246
Medial malleolus, fractures of, 550–551, 552
Meniscal injuries, 446–449
treatment of, 447–448
Meniscus, assessment of, in anterior cruciate ligament injuries of knee, 701
marsupial, 163
patterns of injury of, in acute anterior cruciate tears, 742–743
Metacarpal phalangeal joint injuries, 501–504
Metatarsal(s), break of, parallel, 177, 178
fifth, base of, avulsion fractures of, 153
"dancer's fracture" of, 151–152, 153
proximal shaft of, Jones' fracture of, 152–153, 154
stress fractures of, 582
in dancers, 165–169
Metatarsal cuneiform joint, first, problems of, 578–579
Metatarsal head, problems of, 581–582
Metatarsal phalangeal joint, first, problems of, 579–580
Metatarsophalangeal joint(s), acute dislocation of, 155
decompression of, in synovitis of joint, 87
first, biomechanics of, 37–38
inadequate dorsiflexion of, overuse injuries in, 183–185
of second toe, synovitis of, response to treatment of, 82–83
problems of, in dancers, 169–170
subluxing, 169–170
synovitis of, cause and pathophysiology of, 84–85
differential diagnosis of, 85–86
in athletes, **75–88**
nonoperative treatment of, 77–79, 86
operative treatment of, views on, 87
study of, materials and methods for, 76–79
treatment in, 77–79
results of, 79, 83–84
Midfoot, overuse injuries of, 181–183
Midtarsal joint, anatomy and biomechanics of, 7
overuse injuries of, 181
Midtarsal sprains, in dancers, 150–151
Morton's neuroma, and synovitis of metatarsophalangeal joint, differential diagnosis of, 85–86
Motion, early, following anterior cruciate ligament reconstruction, 802–803
limitation of, following intra-articular anterior cruciate reconstruction, 844–846
Muscle(s), abdominal, anatomy of, 267–269
strengthening of, 284
force, quantification of, 649
strains of, in young athlete, 617–621
tendon imbalance, overuse injuries in, 592–593
Muscle cramps, 364–365
Muscle pulls, in dancers, 145
Muscular strength, assessing of, 648, 649
in athletics, 647–648
methods of developing, 660–662
Musculoskeletal assessment and training, in young athlete, **641–677**
purpose of, 642
Musculoskeletal injury(ies), in racquet sports, 236
prevention of, 642–643
Musculoskeletal stretching techniques, 651
Myositis ossificans, 488, 616

National Athletic Injury/Illness Reporting System, 235
Navicular problems, in young athlete, 577–578

Neck, injuries to, athletic, 469–470
prevention of, 471
Neurologic injuries, in racquet sports, 236–237, 345–346
Neuroma, Morton's, and synovitis of metatarsophalangeal joint, differential diagnosis of, 85–86
Notchplasty, in reconstruction of anterior cruciate ligament, 838–842
Nutrition, overuse injuries and, 595

Ober test, 646–647
Obesity, pediatric, causes of, 595
overuse injuries in, 595
Olecranon, traction apophysitis of, 491
Ophthalmologic injuries, in racquet sports, 236
Orthopedic evaluation, in acute anterior cruciate ligament injury, 814
Orthotic device(s), effect of, on biomechanics of gait, 11–12
for young athletes, 587–588
in control of pronation, 185–187
in plantar fasciitis, 124–125
insoles, in synovitis of metatarsophalangeal joint, 77, 78
materials for, 11
uses of, 11
Os calcis, beak of, fracture of, 150, 151
stress fracture, 606–607
Osgood-Schlatter's disease, 542, 596, 604
of shoulder, 376–377
Osteitis pubis, 522
Osteochondritis, 56
Osteochondritis dissecans, magnetic resonance imaging in, 21, 23
of knee, 534–538, 605
of talus, 556–557, 558, 559
Osteoid osteoma, in tarsal navicular, 160, 161
Osteomyelitis, of distal tibia, 22
Osteotomy, periarticular, in hallux rigidus, 44, 47
Over the head press, 666, 668
Overhead stroke, mechanics of, 280
Overload principle, 223
Overuse foot injuries, in athletes and dancers, rehabilitation following, **175–191**
Overuse injuries, assessment of, 597–598
in young athlete, **591–610**
management of, 190
of ankle, 561
prevention of, 607–609
risk factors for, 591–597
sites of, 600–607
stress fractures as, 598–600
types of, 598–600
Overuse syndrome(s), 591
in dancers, 158–172

Pain, in anterior cruciate ligament tears, 728
in sesamoid bones, 580
low back, in overuse, 601
navicular, 577
patellofemoral, in young athlete, 539–542
shoulder, in competitive tennis player, **309–327**
Pancreas, injury to, in young athlete, 636
Patella, fracture(s) of, in reconstruction of anterior cruciate ligament, 837
in young athlete, 530–531
Patella tendon bone autograft, arthroscopically assisted reconstruction of anterior cruciate ligament, **785–800**
Patella-tendon-tibial tubercle, for anterior cruciate replacement, 781
Patellar pain syndrome, 440–446
abnormalities associated with, 441, 445
etiologies of, 440
treatment of, 443–445, 446
Patellar tendinitis, in intra-articular anterior cruciate reconstruction, 843–844
Patellar tendon, allografts, for anterior cruciate replacement, 780
rupture of, in intra-articular anterior cruciate reconstruction, 842
Patellofemoral pain, in young athlete, 539–542
Patellofemoral stress syndrome, 603
Pelvic tilting, posterior, 656–657
Pelvis, anatomy of, 349–351
fractures of, in young athlete, **513–526**
injuries of, anatomic considerations in, 514–515
assessment of, 513–514
differential diagnosis of, 524
nonphyseal fractures of, 517
overuse injuries about, 603
pathologic fractures and conditions of, 521, 522, 523
soft-tissue injuries of, 521–522
sprains of, 524
tilt of, 282, 283, 286
Periosteum, 371
Peroneal tendinitis, 165
Peroneal tendon(s), anatomy of, 108
dislocation of, 560–561
functions of, 107
subluxation of, 108, 109
tendinitis of, 107–108
Peroneus longus tendinitis, 585
Phalangeal joint, metatarsal, first, problems of, 579–580

Phalanx(ges), distal, fractures of, 508
middle and proximal, fractures of, 508
shaft fractures of, 509
Physical examination, in anterior cruciate ligament tears, 729
in hallux valgus, 61–62
in synovitis of metatarsophalangeal joint, 77
in thoracoabdominal musculoskeletal injuries, 271, 272
Physical therapy, in acute anterior cruciate ligament injury, 814–818
in chronic anterior cruciate ligament-deficient knee, 818–824
Physical training, 650–660
program, 650–651
Physiological examination, comprehensive, 675
Pivot shift phenomenon, in anterolateral rotatory instability, 754–755
Pivot shift test, in anterior cruciate ligament injuries of knee, 700–701
in chronic anterior cruciate ligament injuries, 734
in ligament stability testing, 730–731
modified, in ligament stability testing, 731
reverse, in chronic anterior cruciate ligament injuries, 736
Plantar fascia, anatomy of, 119–120
function of, 120–121
in stabilization of foot, 176, 177
Plantar fasciitis, **119–126**, 177–181, 367
causes of, 121–123
clinical picture of, 179–180
diagnosis of, 121–124
terminology in, 119
treatment of, 124–125, 180–181
Plantar lesions, 584
Plantar warts, 584
Plantaris tendon tear, 363
Playing surface, overuse injuries and, 594
Plyometrics, 213, 221–223, 225
Pneumothorax, 630, 631
Polyethylene, for synthetic ligament, 776
Postconcussion syndrome, 467
Power, versus endurance, in training for competitive tennis, 418
Progressive resistance exercise, 649
Pronation, of foot, 175–176
control of, 185–187
excessive, etiologies of, 185
Pseudo-boutonniere deformity, 505
Psychological complications, in injured child, risk factors for, 682
Psychological considerations in youth sports, **679–689**

Quadriceps, contusions, 615–617
exercise, following anterior cruciate ligament reconstruction, 806

Racquet(s), hand trauma and, 329
tennis. See *Tennis racquet(s)*.
Racquet sports, chronic injuries in, 365
energy levels in, 255
eye injuries in. See *Eye(s), injuries of, in racquet sports*.
eye protection in, **253–266**
injury treatment and, prevention, **211–458**
leg and foot injuries in, **359–370**
musculoskeletal injuries in, 236
neurologic injuries in, 236–237
ophthalmologic injuries in, 236
physiological demands of, 246–247
popularity of, 237
prevention of injuries in, 241
soft-tissue injuries of hand and wrist in, **329–348**
strokes in, 280
mechanics of, 280–281
sudden death in, **245–252**
incidence and conditions of, 249–250
thoracoabdominal musculoskeletal injuries in, **267–276**
Racquetball, court for, 238
facial and nonfacial injuries in, 238–239
tennis, and squash injuries, epidemiology of, **233–243**
Radiography, in acute injury of anterior cruciate ligament, 741
in ankle fractures, 129, 131, 133, 135, 137
in anterior cruciate ligament tears, 731–732
in chronic anterior cruciate ligament injuries, 734
in hallux valgus, 62, 63
in rupture of posterior tibial tendon, 111
in stress fractures in long-distance runners, 90–92
in synovitis of metatarsophalangeal joint, 76, 77, 82
in thoracoabdominal musculoskeletal injuries, 270
of foot, in runners' shoes, 97
Radius, distal, fractures of, 497–499
Reflex sympathetic dystrophy, 684
case history of, 685–688
Rehabilitation, of ankle, time required for, 193–194
of ankle fractures, 140
of dancers, 172
of injured ankle, **193–204**
of sprained ankle, 147–148
of overuse foot injuries in athletes and dancers, **175–191**
trends in, following anterior cruciate ligament reconstruction, 801–811
Rest, in thoracoabdominal musculoskeletal injuries, 273
Rheumatic conditions, systemic, and synovitis of metatarsophalangeal joint, differential diagnosis of, 86

Rotator cuff, collagen stress fractures of, 378–382
friction burns of, 378
injuries, 481–483
Theraband resistive exercises for, 216
Runner(s), excessive external rotation of foot in, 94
forefoot, force plate curve demonstrating, 93
stress fractures of tarsal navicular in, **89–101**
normal floor contact in, 94
shoes of, alterations of, 96, 98–100
qualities of good, 104–105
radiograph of foot in, 97
with stress fractures, anatomic variation in, 96
Running, Achilles tendon injuries induced by, 104
ankle motion during, 3, 5
gait cycle during, 2
hindfoot during, 6
in chronic anterior cruciate ligament-deficient knee, 824
marathon, sudden death in, 245–246
velocity of gait and, 10–11
Running shoes, 593–594, 606

Salter-Harris physeal fractures of proximal femur and acetabulum, 517
Scapholunate dissociation, 337–340
Scoliosis, in dancers, 172
shoulder asymmetry and, 397, 399
Seated neck circle, 652
Serratus anterior palsy, 382, 383
Serve, mechanics of, 280
Sesamoid bone(s), fragmented, 369
of foot, acute fracture of, 55–56
anatomy of, 52
chondromalacia of, 59
historical background of, 51–52
problems of, classification of, 54–55
diagnosis and differential diagnosis of, 53
general treatment principles in, 53–54
in athlete, **51–60**
pathophysiology of, 52–53
treatment of injury in, 54–58
stress fractures of, 56–58
problems of, 580–581
Sesamoidectomy, 171–172
Sesamoiditis, 55
in dancers, 171–172
Sever's disease, 574–575, 596
Shoe(s), affecting biomechanics of gait, 11–12
for young athletes, 588, 593–594, 606
in plantar fasciitis, 180–181
overuse injuries and, 593–594
runners', alterations of, 96, 98–100
qualities of good, 104–105
radiograph of foot in, 97
tennis, 231
Shoulder, abduction, 653
anatomy of, 310
and elbow injuries, in tennis player, prevention and treatment of, **289–308**
and side stretch, 653, 654
anterior, subluxation or dislocation of, 382
asymmetry of, and scoliosis, 397, 399
depression of, and rotator cuff symptoms, 394–395
in average tennis players, 397–401
flexibility, 645
flexibility exercises for, 213, 214
fractures about, 478–479
injury(ies) of, diagnosis of, 311–319, 474–486
in young athlete, **473–494**
mechanism of, 311
instability of, 479–481, 482, 483, 484
Little League, 478–479, 596, 601
of tennis player, **387–402**
Osgood Schlatter's disease of, 376–377
overuse injuries of, 601–602
pain in, in competitive tennis player, **309–327**
postural changes in, treatment of, 401
stretching exercises for, 213, 214
subluxation of, voluntary posterior, 317
tendinitis of, pathologic considerations of, 290–291
tennis. See *Tennis shoulder*.
Shoulder dependency, and thoracic outlet syndrome, 396–397
Silver Triad, in hallux valgus, 62, 65
Sinding-Larsen-Johansson syndrome, 605
Sinus tarsi syndrome, 575–576
Sit and reach test, 645, 647
Sit-ups, isometric, 223
Skin injuries, in racquet sports, 330
Skull, fractures of, in sports, 627
Slideboard, 226, 227
Small intestine, injuries to, in sports, 636–637
Snapping hip syndrome, 524
Soft-tissue injuries, in young athlete, **611–624**
incidence of, 611–612
risk factors in development of, 612–613
Spinal cord, injuries to, 629
Spine, compression injury to, 462–463
extension injury to, 462, 463
flexion injury to, 462
flexion-rotation injury to, 463, 464
injury(ies) of, etiology of, 461–464
in young athlete, **459–472**, 629
lumbar, biomechanics of, 278
overuse injuries of, 600–601
sports hazardous to, 459, 460
Spleen, blunt trauma to, 635, 636
Sports hazardous to head and spine, 459, 460

Sports injury statistics, information sources, 235
Sports performance, determination of, 643–644
Sprain(s), classification of, 621
midtarsal, in dancers, 150–151
of ankle, chronic inversion, 586–587
of hip and pelvis, 524
Sprained ankle(s), 29
classification of, 146–147
conditions simulating, 146
in dancers, 145–151
problems following, 149–150
secondary or delayed ligament reconstruction in, 149
treatment of, 147–148
Squash, tennis, and racquetball injuries, epidemiology of, **233–243**
Squash court, 238
Squash players, arrhythmias in, 248–249
Squat(s), half or quarter, 668–669, 671
partial, in chronic anterior cruciate ligament-deficient knee, 822
Squeaker's wrist, 332–333
Stability testing, ligament, in acutely injured knee, 729–731
Stair heel drop, 646
Stents, permanent, dacron in, 776
Step ups, in chronic anterior cruciate ligament-deficient knee, 821
Sternoclavicular joint injuries, 477–478
Steroids, in synovitis of metatarsophalangeal joint, 77–79, 86
Straight leg test, 645–646, 648
Strains, musculotendinous, of hip and pelvis, 522
of muscle, in young athlete, 617–621
Strength, tennis injuries and, 406, 414
Strength training, in child athlete, 608
Strength training, in thoracoabdominal musculoskeletal injuries, 275
Strengthening, for competitive tennis, **211–228**
in patellar pain syndrome, 443–445
Stress fracture(s), and synovitis of metatarsophalangeal joint, differential diagnosis of, 85–86
Stress fracture(s), as overuse injury, 598–600
in dancers, 165–169
of metatarsals, 582
of sesamoids, 56–58
of tarsal navicular in long-distance runners, **89–101**
Stress synovitis, 378
Stress testing, varus and valgus, in acute injury of anterior cruciate ligament, 740–741
"Stretch box", in prevention of Achilles tendinitis, 156
Stretching, exercises, 652–660
for competitive tennis, **211–228**
in patellar pain syndrome, 443, 444
methods of, 651–652
Subacromial impingement, stages of, 319–320
testing for, 315, 316
treatment of, 320–326
Subcutaneous tissue, injuries to, in racquet sports, 330
Subluxation(s), of cuboid, 165, 182–183
of metatarsophalangeal joints, 169–170
Sudden death, in marathon running, 245–246
in racquet sports. See *Racquet sports, sudden death in.*
Superman exercise, 671, 674
Supination, of foot, 176
Supraspinatus, strength testing of, 315
Surface variables, in tennis injuries, **229–232**
Sweating, in tennis players, 430
Syncope, heat, 430
Synovitis, of metatarsophalangeal joint. See *Metatarsophalangeal joint, synovitis of.*
stress, 378

Talar fracture, magnetic resonance imaging in, 20, 21
Talus, osteochondral fracture of, 364
Talus, osteochondritis dissecans of, 556–557, 558, 559
Taping, in control of pronation, 186–187, 188
Tarsal coalitions, 576–577
Tarsal navicular, osteoid osteoma of, 160, 161
stress fractures of, in long-distance runners, **89–101**
Tarsal tunnel syndrome, in children, 586
Tendinitis, Achilles, 104–105, 365–367
factors contributing to, 156
in dancers, 155–157
treatment of, 156–157
and bursitis, in racquet sports, 449–451
treatment of, 451
bicipital, testing for, 316
description of, 599
diagnosis of, 291–292
in dancers, 163–165
in overuse, 607
in racquet sports, 291
management of, 599–600
of ankle, 561
of flexor hallucis longus tendon, 164–165
patellar, as "jumper's knee," 437–440
in intra-articular anterior cruciate reconstruction, 843–844
peroneal, 107–108, 165
peroneus longus, 585
posterior tibial, 165
quadriceps, as "jumper's knee," 437–440
shoulder, 295, 296–297
pathologic considerations of, 290–291

surgery in, 299–301
Tendon(s). See also specific tendons.
Achilles. See *Achilles tendon.*
anterior tibial, anatomy of, 115–116
rupture of, 116
injuries of, about ankle in athletes, **103–118**
body's response to, 103–104
in racquet sports, 330–331
overuse of, concepts of, 291
patellar, allografts, for anterior cruciate replacement, 780
rupture of, in intra-articular anterior cruciate reconstruction, 842
peroneal. See *Peroneal tendon(s).*
physiology and biomechanics of, 103–104
posterior tibial, functions of, 110
rupture of, 110–112
surgical treatment of, 112, 114
tenosynovitis of, 110
problems of, in young athlete, 584–586
transfer, in combined intra-articular and extra-articular reconstruction, in anterolateral rotatory instability, 765–766
Tennis, competitive, exercise training for, **417–427**
cardiopulmonary adaptations to, 422–423
power versus endurance, 418
University of Pennsylvania program for, 424–426
equipment for, 229–232
squash, and racquetball injuries, epidemiology of, **233–243**
strokes in, tennis shoulder symptoms and, 392–394
Tennis balls, 231
Tennis court, 231–232, 239
Tennis elbow, 218, 239–240, 377–378
surgery for, 295, 300, 302, 305–307
Tennis footwear, 231
Tennis injuries, 239–241
surface and equipment variables in. **229–232**
Tennis leg, 220, 435–437
treatment of, 436
Tennis player(s), adolescent, upper extremity injuries in, **371–385**
competitive, stretching, strengthening, and conditioning for, **211–228**
elbow and shoulder injuries in, prevention and treatment of, **289–308**
heat problems in, **429–434**
physiologic considerations in, 429–430
injured, rehabilitation of, 232
junior, fitness evaluations and findings in, **403–416**
low back pain in, 218–219, **277–287**
shoulder of, **387–402**
shoulder pain in, **309–327**
Tennis racquet(s), balance of, 230
composition of, 231
design of, 229, 230
grip of, 231
grip handle size, 297
strings and string tension of, 230–231
Tennis shoulder, etiology in, 390–392
symptoms of, and tennis strokes, 392–394
Tenodesis, extra-articular iliotibial band, of Steadman, in anterolateral rotatory instability, 761–764
iliotibial band, modified, in anterolateral rotatory instability, 760
of Andrews, in anterolateral rotatory instability, 757–760
lateral, of James, in anterolateral rotatory instability, 766–767, 768
lateral extra-articular of Arnold, in anterolateral rotatory instability, 764–765
Tenosynovitis, acute calcific, 335–336
carpi ulnaris, exterior, and subluxation, 333–334, 335
DeQuervain's, 331–332
flexor, 336
insertional, extensor, 333
magnetic resonance imaging in, 24, 27
of flexor digitorum longus, 115
of flexor hallucis longus, 114–115
of posterior tibial tendon, 110
Tension pneumothorax, 631
Theraband isofunctional programs, 221
Theraband resistive exercises, 322, 323
diagonal, 216, 217
for rotator cuff, 216
Theraband supraspinatus strengthening, with cuff weights, 216, 218
Thompson test, in Achilles tendon rupture, 106
Thoracic nerve, long, palsy of, 485
Thoracic outlet syndrome, shoulder dependency and, 396–397
Thoracoabdominal musculature, strengthening of, 219, 223
Thoracoabdominal musculoskeletal injuries, diagnosis of, 270–271, 272, 273
in racquet sports, **267–276**
mechanism of, 269–270
rehabilitation of, 275
treatment of, 272–274
Thrombosis, deep vein, in intra-articular anterior cruciate reconstruction, 842
Thumb, dislocation of, in children, 501
fractures of, in children, 502, 509–510
injuries of, in skiers, 502
Tibia, distal, epiphyseal injuries of, 550–556
fractures of, in young athlete, 548–550
osteomyelitis of, 22
triplane fracture of, 552–556
posterior, tendinitis of, 165
proximal, epiphysis of, fractures of, 528
stress fracture of, 598
tuberosity of fractures of, 529–530

Tibial rotation exercises, in chronic anterior cruciate ligament-deficient knee, 821–822
Tibialis anterior tendon, problems of, 585
Tibialis posterior tendinitis, 586
Tibiotalar joint, fluid in, 22
Tillaux fracture, 551–552, 553, 554
Toe(s), great, degenerative arthritis of, 368–369
problems, in young athlete, 583–584
proximal interphalangeal dislocations of, 153–155
Toe circles, 658–660
Toe raises, in chronic anterior cruciate ligament-deficient knee, 821
"Toe runners", 176–177
Toenails, ingrown, 583
Tourniquet, complications related to, in anterior cruciate ligament reconstruction, 841–842
Training, activity, 660–672
error, overuse injuries in, 592
for running sports, 608
physical, 650–660
Triangular fibrocartilage complex, tears of, 341–344
Triceps extension, living, 666–667, 670
Treatment of the anterior cruciate ligament-deficient knee, **697–849**
Trunk motions, in tennis, 351–352

Ulna, distal, fractures of, 497–499
University of California Biomechanical Laboratory device, in plantar fasciitis, 125
Upper extremity injury(ies), 290
in adolescent tennis players, **371–385**
Ureteral injuries, in blunt abdominal trauma, 638
Urethra, trauma to, 638

Valgus extension overload, 490–491
Ventricular end-diastolic dimensions, left, in exercise training for tennis, 422–423
Ventricular end-diastolic volumes, left, in exercise training for tennis, 422–423
Volley, mechanics of, 280–281

Walking, ankle motion during, 3, 4
gait cycle during, 2
hindfoot, during, 6
progression of center of load during, 9, 10
Wall split, 656
Warm up program, 650–651
Warts, plantar, 584
Water, consumption of, during exercise, 433
Weight bearing, following anterior cruciate ligament reconstruction, 804–805
Weight lifts, static, in chronic anterior cruciate ligament-deficient knee, 820–821
Weight training, and weight lifting, 661
exercises, 665–672
program, developing of, 662–665
safety, 662
Wet-bulb temperature field precautions, 433
Windmill service exercises, 322
Wrist, and hand, soft-tissue injuries of, in racquet sports, **329–348**
and hand injuries, in children, 495–512
bones of, avascular necrosis of, 497
fractures of, in children, 495–497
ligaments of, injuries to, 336–337
strengthening exercises for, 218, 221
stretching regimen for, 220

Young athlete(s), acute soft-tissue injuries in, **611–624**
ankle injuries in, **547–562**
head and spine injuries in, **459–472**
hip and pelvic fractures in, **513–526**
injured, what child gets from being, 683–684
musculoskeletal assessment and training in, **641–677**
overuse injuries in, **591–610**
referred for evaluation, 680–682
shoulder and elbow injuries in, **473–494**
sports for, psychological considerations in, **679–689**

Z-osteotomy, modified, surgical treatment of hallux valgus using, **61–74**